




PRODUCT CATALOGUE PLUGS & SOCKETS



2022





Copyright © 2022 DINSE G.m.b.H., Norderstedt.

Any type of copying, including translation, even as excerpts, is not permitted without the written consent of DINSE G.m.b.H.; this includes reproduction and the use of electronic systems for storage, processing or publication. All brands named in this catalogue are the property of their respective owners.

Conditions: For printing errors, we assume no liability. For our terms and conditions of delivery and sale, see www.dinse.eu

Our terms and conditions apply to all orders and their execution. Your purchase conditions are only binding for us if and when we acknowledge this in writing for the particular contract. Technical and/or optical changes are subject for modification. Picture credits page 9 - freepik.com / graphictwister

YOUR STRONG PARTNER

DINSE - WE ARE YOUR STRONG PARTNER FOR THE ENTIRE WELDING PROCESS.

LIVE TO WELD.

For us, this is more than just a „fancy slogan“: our 150 employees have been passionate about welding for more than 60 years.

Would you like to know what DINSE passion looks like? There is, for example, our stockist who personally assembles each wear part for your order.

Or the production worker who manually bends your automatic torch to the desired angle. But also the colleague in the purchasing department who daily searches for the highest quality raw materials for our products and the constructing engineer who puts all his experience into developing new systems.

IN SHORT:
FOR YOUR PERFECT WELDING RESULT WE GIVE OUR BEST EVERY DAY.

With locations throughout Germany and the world, we are one of the leading developers and manufacturers of systems for manual, robotic and automatic welding.



YOUR EXPERTS

SALES EUROPE / APPLICATION TECHNOLOGY / PROCESS TECHNOLOGY



Philip Park

Sales Manager Europe
Mobile +31-(0)651-815 391
park@dinse.eu



Adnan Özutku

Sales Manager Turkey
Mobile +90-(0)541-396 19 73
ozutku@dinse.eu



Adam Bienias

Area Sales Manager Europe
Mobile +48-(0)782-110 227
bienias@dinse.eu



Mariusz Małecki

Application Engineer
Mobile +48-(0)609-931 123
malecki@dinse.eu

PRODUCT MANAGEMENT



Jean-Marie Sandrock

Product Manager
Mobile +49-(0)171-517 61 83
sandrock@dinse.eu



Sascha J. Lehfeld

Product Manager
Mobile +49-(0)171-891 62 46
lehfeld@dinse.eu



Markus Müller

Manager Internal Sales
Phone +49-(0)40-658 75-224
mueller@dinse.eu




Pawel Opolski

Internal Sales Europe
Phone +49-(0)40-658 75-246
opolski@dinse.eu


INTERNAL SALES / MAIN OFFICE NORDERSTEDT

SERVICE



Carmen Adega

Internal Sales Europe
Phone +49-(0)40-658 75-233
adega@dinse.eu



Daniela Rudolf

Internal Sales International
Phone +49-(0)40-658 75-226
rudolf@dinse.eu



Alexander Worel

Technical Internal Sales
Phone +49-(0)40-658 75-227
worel@dinse.eu



Christoph Kwiatek

Team Lead Service
Mobile +49-(0)171-234 70 00
kwiatek@dinse.eu

YOUR EXPERTS

MANAGEMENT



Torsten Lischke

Managing Director
Mobile +49-(0)171-588 31 31
lischke@dinse.eu



Torsten Scheer

Sales and Marketing
Authorised Officer
Mobile +49-(0)171-518 03 83
scheer@dinse.eu



Ilka Grundheber

Finance and Accounting
Authorised Officer
Phone +49-(0)40-658 75-290
grundheber@dinse.eu



Michael Jürgens

Development
Mobile +49-(0)160-833 51 01
juergens@dinse.eu



Markus Nolte

Plant Manager
Mobile +49-(0)171-585 27 75
m.nolte@dinse.eu

DINSE ACADEMY

AT OUR TRAINING FACILITIES, THE WELDING TORCHES ARE NOT THE ONLY THING THAT HEATS UP – SO DOES YOUR CAREER:

You can further your knowledge through seminars on various topics based around welding with DINSE.

Get a detailed view of the DINSE products in our „product experience world“ for manual and automated welding. Our team of instructors communicate theoretical basics to you in small groups at our training facilities.

Everything you learn will then be turned to practical use at our application centre. All participants can demonstrate what they are capable of at fully equipped manual workstations.



Catalogue DINSE Academy
Art.-Nr. WF10172

Industrial robots are available for any training focusing on automation. Of course, every seminar is accompanied by our experts. There is always the opportunity to ask questions, even outside the box.

ARE YOU INTERESTED?

You can find the entire training programme on the academy website at www.dinse.eu/akademie

Or simply send an email to akademie@dinse.eu to request your personal printed version.

Of course, we are also happy to answer any questions regarding our academy via telephone: +49-(0)40-658 75 – 224.




PARTNERSHOP

THE DINSE PARTNERSHOP IS AN EXCLUSIVE ONLINE- FACTORY-
OUTLET-STORE FOR OUR EXISTING CUSTOMERS. IN OUR
PARTNERSHOP YOU CAN DISCOVER NUMEROUS OFFERS AT
UNBEATABLE PRICES.

Selected articles, remaining stocks or outdated products are waiting for you - including huge discounts.

HOW ABOUT A DIGITAL WINDOW SHOPPING-TOUR?

Register here: www.dinse.eu/partnershop



Our Partnershop is exclusively reserved for our existing customers. Each customer is checked by us manually and approved according to certain criteria.

CATALOGUES

Discover our whole service portfolio: From premium-consumable to the complete robotic system. In our catalogues you can find the right solution for your use case.

DO YOU ALREADY KNOW, FOR EXAMPLE, OUR OTHER PRODUCT CATALOGUES OR THE MARKETING TOOLBOX?



Product Catalogue
MANUAL
Art.-Nr. W2130



Product Catalogue
AUTOMATION
Art.-Nr. W2128



Product Catalogue
MANUAL POWER SOURCES
Art.-Nr. W2134



Product Catalogue
LASER
Art.-Nr. W2132



Marketing Toolbox
Art.-Nr. WF10171

With the Marketing Toolbox we would like to support you as best as possible in your brand and product communication.

The catalogue contains all the tools you need to systematically, effectively and easily expand your marketing activities: From stickers and press releases to product flyers.


YOU WANT TO TAKE A LOOK?

All catalogues you can also find as download at:
www.dinse.eu/productcatalogue

For notes:



HIGHEST PRECISION FOR HOLLOW-WRIST ROBOTS



T.CONNECTOR HW & HWD

Totally convincing:

- ▶ Perfect connection to the robot
- ▶ Easy installation
- ▶ Slim design and low weight
- ▶ Maximum flexibility through +/- 260° rotation
- ▶ Optional front drive: Single Feed, PUSH-PUSH and PUSH-PULL
- ▶ Optional wire brake available

**WITH SHOCK
SENSOR**

CONTENTS

Welding cable couplings	12
Sockets DIX BK xx	12
Plugs DIX SK xx	13
Spare parts and wear parts welding cable couplings	14
Sockets DIX BK xx	14
Plugs DIX SK xx	15
Dimension sheet welding cable couplings	16
Accessories welding cable couplings	17
Reducers DIX RSS xx	17
Cable joint sockets DIX KAB xx	17
Cable joint plugs DIX KAS xx	17
Coding plug DIX SEC	18
Mounted couplings	19
Mounting sockets DIX BE xx	19
Mounting plugs DIX xx	20
Spare parts and wear parts mounted couplings	21
Mounting socket DIX BEM 25 (ROT), DIX BE 50/70 (ROT), DIX BE 70/95	21
Mounting socket DIX BEK 50/70 GELB, DIX BEK 70/95 GELB, DIX BES 95/120	22
Mounting plugs DIX SEM 25, DIX SE 50/70	23
Mounting plugs DIX SE 70/95, DIX SES 95/120	24
Dimension sheet mounted couplings	25
Electrode bracket	26
DIX A 300	26
Electrode bracket with cable and DINSE plug	27
Electrode cable DIX EL.M	27
Ground cables	28
DIX BKK / SKK	28
DIX GL-x / 70	28
DIX GL-x / 95	28
DIX BKS / BKK	28
DIX GL.M	28
DIX BKK / KS	28
DIX SKS / KS	28



Welding cable couplings

Sockets DIX BK xx

Benefits

- Perfect grip
- Extremely sturdy and long-lasting
- Reliable connection at high current loads
- Very good current transfer with original DINSE coupler
- Possible to adapt sleeve to all standard cable diameters
- Extremely stable with tongue & groove connection of sleeve and interior

BKM 25



BK 25
BK 50
BK 70



BKK 70
BKK 95



Application

- Welding cables in arc welding and related processes
- Applications where high currents are transported

BKS 95
BKS 120



Technical data (DIN EN 60 974-12):

Sockets	BK xx
Welding procedures:	Electrical arc welding
Protection class:	IP 3X
Ambient air temperature:	
- for welding	-10°C to +40°C
- during transport and storage	-20°C to +55°C
Relative humidity:	up to 90% at 20°C



	Description	Nominal cross-section (mm²)	Current capacity max. (at 60% ED)	Part name	Part number
1	Socket, Mini	10-16	140A	DIX BKM 25	121100020
		16-25	190A		
2	Socket, standard	16-25	190A	DIX BK 25	121100025
	Socket, standard	35-50	315A	DIX BK 50	121100050
	Socket, standard	50-70	400A	DIX BK 70	121100070
3	Socket, Plus (with double clamping)	50-70	400A	DIX BKK 70	121110070
	Socket, Plus (with double clamping)	70-95	500A	DIX BKK 95	121110090
4	Socket, Special (with double clamping)	70-95	500A	DIX BKS 95	121120090
	Socket, Special (with double clamping)	95-120	590A	DIX BKS 120	121120120

- Recommended nominal cross-sections (mm²) of welding cables from CU dependent on welding current and cable length.



Welding cable couplings

Plugs DIX SK xx



Benefits

- Perfect grip
- Extremely sturdy and long-lasting
- Reliable connection at high current loads
- Very good current transfer with original DINSE coupler
- Possible to adapt sleeve to all standard cable diameters
- Extremely stable with tongue & groove connection of sleeve and interior

SKM 25
SKM 25 ROT



SK 25
SK 50
SK 70
SK 70 ROT



SKK 70
SKK 95



Application

- Welding cables in arc welding and related processes
- Applications where high currents are transported

SKS 95
SKS 120



Technical data (DIN EN 60 974-12):

Plugs	SK xx
Welding procedures:	Electric arc welding
Protection class:	IP 3X
Ambient air temperature:	
- for welding	-10°C to +40°C
- during transport and storage	-20°C to +55°C
Relative humidity:	up to 90% at 20°C



	Description	Nominal cross-section (mm²)	Current capacity max. (at 60% ED)	Part name	Part number
1	Plug, Mini	10-16 / 16-25	140A / 190A	DIX SKM 25	122100020
	Plug, Mini	10-16 / 16-25	140A / 190A	DIX SKM 25 ROT	122100022
2	Plug, Standard	16-25	190A	DIX SK 25	122100025
	Plug, Standard	35-50	315A	DIX SK 50	122100050
	Plugs Standard	50-70	400A	DIX SK 70	122100070
	Plugs Standard	50-70	400A	DIX SK 70 ROT	122100072
	Plug, Plus (with double clamping)	50-70	400A	DIX SKK 70	122110070
3	Plug, Plus (with double clamping)	70-95	500A	DIX SKK 95	122110090
	Plug, Special (with double clamping)	70-95	500A	DIX SKS 95	122120090
4	Plug, Special (with double clamping)	95-120	590A	DIX SKS 120	122120120

- Recommended nominal cross-sections (mm²) of welding cables from CU dependent on welding current and cable length.



Welding cable couplings

Spare parts and wear parts welding cable couplings

Sockets DIX BK xx




	Description	Dimension	Part name		Part number
BKM version, Mini:					
1	Interior part		DIX	BKM 25-01	129131001
2	Clamping sleeve		DIX	8/15	199200015
3	Screw pin	M8x8 mm			199100011
4	Rubber sleeve		DIX	BKM-02	129211021
BK version, Standard:					
5	Interior part		DIX	BK 25-01	129131002
	Interior part, not shown		DIX	BK 50-01	129131003
	Interior part, not shown		DIX	BK 70-01	129131004
6	Clamping sleeve, for BK 25		DIX	10/25	199200020
	Clamping sleeve, for BK 50, not shown		DIX	35/50	199200050
	Clamping sleeve, for BK 70, not shown		DIX	50/70	199200070
7	Screw pin, for BK 25	M8x1x10 mm			199100009
	Screw pin, for BK 50, not shown	M10x10 mm			199100010
	Screw pin, for BK 70, (pos. 11)	M12x12 mm			199100018
8	Rubber sleeve		DIX	BK-02	129211072
BKK version, Plus (with double clamping):					
9	Interior part		DIX	BKK 70-01	129131005
	Interior part, not shown		DIX	BKK 95-01	129131006
10	Clamping sleeve, for BKK 70		DIX	50/70 KK	199201070
	Clamping sleeve, for BKK 95, not shown		DIX	70/95 KK	199201090
11	Screw pin, for BKK 70 and BKK 95	M12x12 mm			199100018
12	Rubber sleeve		DIX	BKK-02	129211191
BKS version, Special (with double clamping):					
13	Additional sleeve		DIX	BEC 101	65904010114
14	Interior part		DIX	BKS 95-1	129111290
	Interior part, not shown		DIX	BKS 120-1	129111320
15	Clamping sleeve, for BKS 95		DIX	70/95 KK	199201090
	Clamping sleeve, for BKS 120, not shown		DIX	95/120 KK	199201120
16	Screw pin, for BKS 95	M12x12 mm			199100018
	Screw pin, for BKS 120, not shown	M16x12 mm			199100016
17	Cylinder screw		DIX	13-2	629130000
18	Rubber sleeve		DIX	BKS-02	129211321


Spare parts and wear parts welding cable couplings




Plugs DIX SK xx




SKM 25 version, Mini



SK 25(50)(70) version, Standard



SKK 70(95) version, Plus (with double clamping)



SKS 95(120) version, Special (with double clamping)

	Description	Dimension	Part name		Part number
SKM version, Mini					
1	Interior part		DIX	SKM 25-01	129131007
2	Clamping sleeve		DIX	8/15	199200015
3	Screw pin	M8x8 mm			199100011
4	Rubber sleeve		DIX	SKM-02	129221021
	Rubber sleeve		DIX	SKM-02 rot	129221022
SK version, Standard					
5	Interior part		DIX	SK 25-01	129131008
	Interior part, not shown		DIX	SK 50-01	129131009
	Interior part, not shown		DIX	SK 70-01	129131010
6	Clamping sleeve, for SK 25		DIX	10/25	199200020
	Clamping sleeve, for SK 50, not shown		DIX	35/50	199200050
	Clamping sleeve, for SK 70, not shown		DIX	50/70	199200070
7	Screw pin, for SK 25	M8x8 mm			199100011
	Screw pin, for SK 50, not shown	M10x10 mm			199100010
	Screw pin, for SK 70, not shown	M12x12 mm			199100018
8	Rubber sleeve		DIX	SK-02	129221072
	Rubber sleeve		DIX	SK-02 rot	129221073
SKK version, Plus (with double clamping)					
9	Interior part		DIX	SKK 70-01	129131011
	Interior part, not shown		DIX	SKK 95-01	129131012
10	Clamping sleeve, for SKK 70		DIX	50/70 KK	199201070
	Clamping sleeve, for SKK 95, not shown		DIX	70/95 KK	199201090
11	Screw pin, for SKK 70 and SKK 95	M12x12 mm			199100018
12	Rubber sleeve		DIX	SKK-02	129221191
SKS version, Special (with double clamping)					
13	Interior part		DIX	SKS 95-1	129121290
	Interior part, not shown		DIX	SKS 120-1	129121320
14	Clamping sleeve, for SKS 95		DIX	70/95 KK	199201090
	Clamping sleeve, for BKS 120, not shown		DIX	95/120 KK	199201120
15	Screw pin, for SKS 95	M12x12 mm			199100018
	Screw pin, for BKS 120, not shown	M16x12 mm			199100016
16	Cylinder screw		DIX	13-2	629130000
17	Rubber sleeve		DIX	SKS-02	129221321

Welding cable couplings



Dimension sheet welding cable couplings

Sockets BK xx, plugs SK xx

Sockets:



Plugs:




Sockets	Plugs
1 DIX BKM 25	DIX SKM 25
	DIX SKM 25 ROT
2 DIX BK 25	DIX SK 25
DIX BK 50	DIX SK 50
DIX BK 70	DIX SK 70
	DIX SK 70 ROT
3 DIX BKK 70	DIX SKK 70
DIX BKK 95	DIX SKK 95
4 DIX BKS 95	DIX SKS 95
DIX BKS 120	DIX SKS 120

Accessories welding cable couplings

Reducers DIX RSS xx
Cable joint sockets DIX KAB xx
Cable joint plugs DIX KAS xx



Sample applications



Description	Application	Part name	Part number
1 Reducer	BKM - SK	DIX RSS 50/25	124305025
2 Reducer	BK - SKM	DIX RSS S50/B25	124325025
3 Reducer	BKS - SKK	DIX RSS 95/120	124300000
4 Cable joint socket For: SK, SKK, BK, BKK		DIX KAB 70/95	123100070
5 Cable joint plug For: SK, SKK, BK, BKK		DIX KAS 70/95	123200070



Welding cable couplings

Coding plug DIX SEC

The DINSE G.m.b.H. has developed the coding plug DIX SEC, which is designed to prevent polarity reversal of the welding cables at the power source.

The coding plug turns a DINSE socket into a DINSE plug.

The coding plug DIX SEC can be mounted on any power source equipped with DINSE sockets. After correct installation, the DIX SEC coding plug can no longer be removed by hand.

The coupling plug of the ground line only has to be replaced by a welding cable coupling of the type DIX BK or DIX BKK.

Now only a correctly polarized connection is possible.

Before the assembly



After the assembly



Benefits


- Reverse polarity protection at the welding power source
- Extremely sturdy and long-lasting
- Reliable connection at high current loads
- Very good current transfer with original DINSE coupler
- Easy assembly and optimal fixture

Application

- Welding power sources in arc welding and related processes

Technical data (DIN EN 60 974-12):

Coding plug	SEC
Welding procedures:	Electrical arc welding
Protection class:	IP 3X
Ambient air temperature:	
- for welding	-10°C to +40°C
- during transport and storage	-20°C to +55°C
Relative humidity:	up to 90% at 20°C



Description	Application	Part name	Part number
1 Coding plug		DIX SEC	122130070

Mounted couplings

Mounting sockets DIX BE xx



Benefits

- Extremely sturdy and long-lasting
- Reliable connection at high current loads
- Very good current transfer with original DINSE coupler
- Easy assembly and optimal fixture

Application

- Welding cables in arc welding and related processes
- Applications where high currents are transported

Technical data (DIN EN 60 974-12):

Sockets	BEM 25 BE 50/70 BE 70/95 BEK 50/70 GELB BEK 70/95 GELB BES 95/120
Protection class:	IP 3X
Ambient air temperature:	
- for welding	-10°C to +40°C
- during transport and storage	-20°C to +55°C
Relative humidity:	up to 90% at 20°C

BEM 25
BEM 25 ROT



BE 50/70
BE 50/70 ROT



BE 70/95




BEK 50/70 GELB



BEK 70/95 GELB



BES 95/120



	Description	Nominal cross-section (mm ²)	Connection screw	Current rating (A) at 60% ED	Part name	Part number
1	Mounting socket Mini	10-16 / 16-25	M8	140A / 190A	DIX BEM 25	121300020
	Mounting socket Mini	10-16 / 16-25	M8	140A / 190A	DIX BEM 25 ROT	121300023
2	Mounting socket Standard	50-70	M10	400A	DIX BE 50/70	121300050
3	Mounting socket Standard	70-95	M12	500A	DIX BE 70/95	121300070
	Mounting socket red	50-70	M10	400A	DIX BE 50/70 ROT	121300052
4	Mounting socket Plus with cover cap	50-70	M10	400A	DIX BEK 50/70 GELB	121330050
5	Mounting socket Plus with cover cap	70-95	M12	500A	DIX BEK 70/95 GELB	121330070
6	Mounting socket Special	95-120	M16	590A	DIX BES 95/120	121300120

- Recommended nominal cross-sections (mm²) of welding cables from CU dependent on welding current and cable length.

Welding cable couplings



Mounted couplings

Mounting plugs DIX xx

Benefits

- Extremely sturdy and long-lasting
- Reliable connection at high current loads
- Very good current transfer with original DINSE coupler
- Easy assembly and optimal fixture


Application

- Welding cables in arc welding and related processes
- Applications where high currents are transported

Technical data (DIN EN 60 974-12):

Plugs	SEM 25 SE 50/70 SE 70/95 SES 95/120
Welding procedures:	Electrical arc welding
Protection class:	IP 3X
Ambient air temperature:	
- for welding	-10°C to +40°C
- during transport and storage	-20°C to +55°C
Relative humidity:	up to 90% at 20°C

SEM 25







SE 50/70



SE 70/95



SES 95/120




	Description	Nominal cross-section (mm²)	Connection screw	Current rating (A) at 60% ED	Part name	Part number
1	Mounting plug Mini	10-25 / 16-25	M8	140A / 190A	DIX SEM 25	122300020
2	Mounting plug Standard)	50-70	M10	400A	DIX SE 50/70	122300050
3	Plug, Standard	70-95	M12	500A	DIX SE 70/95	122300070
4	Plug, Special	95-120	M16	590A	DIX SES 95/120	122320120

- Recommended nominal cross-sections (mm²) of welding cables from CU dependent on welding current and cable length.

Spare parts and wear parts mounted couplings



Mounting socket DIX BEM 25 (ROT), DIX BE 50/70 (ROT),
DIX BE 70/95




	Description	Terminal screw	Part name	Part number
Version BEM 25 (M8), Mini				
1	Screw, M 8x1x14			12961302013
2	Serrated washer, J 8.4			12961302012
3	Washer 8.4			12961302011
4	Nut		DIX B/SEM 25-4	129413020
5	Compression ring		DIX B/SEM 25-3	129313020
6	ISO-shell		DIX BEM 25-2	129213020
	ISO-shell		DIX BEM 25-2 rot	129213022
7	Interior part		DIX BEM 25-1	129113020
Version BE 50/70 (M10), standard				
8	Screw, M 10x16			12961305013
9	Serrated washer, A 10.5			12961305012
10	Washer 10.5			12961305011
11	Nut		DIX B/SE 50/70-4	129413050
12	Serrated washer		DIX B/SE 50/70-5	129513050
13	Compression ring		DIX B/SE 50/70-3	129313050
14	ISO-shell		DIX BE 50/70-2	129213050
	ISO-shell		DIX BE 50/70-2 rot	129213051
15	Interior part		DIX BE 50-1	129113050
Version BE 70/95 (M12), standard				
16	Screw, M 12x1.5x20			12961307013
17	Serrated washer, J 12.5			12961307012
18	Washer 13			12961307011
19	Nut		DIX B/SE 70/95-4	129413070
20	Serrated washer		DIX B/SE 70/95-5	129513070
21	Compression ring		DIX B/SE 70/95-3	129313070
22	ISO-shell		DIX BE 70/95-2	129213070
23	Interior part		DIX BE 70/95-1	129113070

Welding cable couplings



Spare parts and wear parts mounted couplings


Mounting socket DIX BEK 50/70 GELB,
DIX BEK 70/95 GELB, DIX BES 95/120



Description	Terminal screw	Part name	Part number
Version BEK 50/70 GELB (M10), Plus (with cover cap)			
1 Screw, M10x16			12961305013
2 Serrated washer		DIX B/SE 50/70-5	129513050
3 Washer, 10.5			12961305011
4 Nut		DIX B/SE 50/70-4	129413050
5 Serrated washer A 10.5			12961305012
6 Compression ring		DIX B/SE 50/70-3	129313050
7 Cover		DIX BAK 50/70	12931305011
8 Interior part		DIX BE 50-1	129113050
Version BEK 70/95 GELB (M12), Plus (with cover cap)			
9 Screw, M12x1.5x20			12961307013
10 Serrated washer		DIX B/SE 70/95-5	129513070
11 Washer, 13			12961307011
12 Nut		DIX B/SE 70/95-4	129413070
13 Serrated washer J 12.5			12961307012
14 Compression ring		DIX B/SE 70/95-3	129313070
15 Cover		DIX BAK 70/95	12931307011
16 Interior part		DIX BE 70/95-1	129113070
Version BES 95/120 (M16), Special			
17 Screw, M16x25			12961312013
18 Serrated washer J 17			12961312012
19 Washer, 17			12961312011
20 Nut		DIX B/SES 95/120-4	129413120
21 Serrated washer		DIX B/SES 95/120-5	129513120
22 Compression ring		DIX BES 95/120-3	129313120
23 ISO-shell		DIX BES 95/120-2	129213320
24 Interior part		DIX BES 95/120-1	129113320
25 Additional sleeve, not shown		DIX BEC 101	65904010114

Spare parts and wear parts mounted couplings

Mounting plugs DIX SEM 25, DIX SE 50/70




	Description	Terminal screw	Part name		Part number
Version SEM 25 (M8), Mini					
1	Interior part		DIX	SEM 25-1	129123020
2	ISO-shell		DIX	SEM 25-2	129223020
3	Compression ring		DIX	B/SEM 25-3	129313020
4	Nut		DIX	B/SEM 25-4	129413020
5	Washer 8.4				12961302011
6	Serrated washer J 8.4				12961302012
7	Screw M8x1x14				12961302013
Version SE 50/70 (M10), Standard					
8	Interior part		DIX	SE 50/70-1	129123050
9	ISO-shell		DIX	SE 50/70-2	129223050
10	Compression ring		DIX	B/SE 50/70-3	129313050
11	Serrated washer		DIX	B/SE 50/70-5	129513050
12	Nut		DIX	B/SE 50/70-4	129413050
13	Washer 10.5				12961305011
14	Serrated washer A 10.5				12961305012
15	Screw, M10x16				12961305013

Welding cable couplings



Spare parts and wear parts mounted couplings

Mounting plugs DIX SE 70/95, DIX SES 95/120



	Description	Terminal screw	Part name	Part number
Version SE 70/95 (M12), Standard				
1	Interior part		DIX SE 70/95-1	129123070
2	ISO-shell		DIX SE 70/95-2	129223070
3	Compression ring		DIX B/SE 70/95-3	129313070
4	Serrated washer		DIX B/SE 70/95-5	129513070
5	Nut		DIX B/SE 70/95-4	129413070
6	Washer 13			12961307011
7	Serrated washer J 12.5			12961307012
8	Screw, M12x1.5x20			12961307013
Version BES 95/120 (M16), Special				
9	Interior part		DIX SES 95/120-1	129123320
10	ISO-cap		DIX SES 95/120-3	12922332013
11	Compression ring		DIX BES 95/120-3	129313120
12	Serrated washer		DIX B/SES 95/120-5	129513120
13	Nut		DIX B/SES 95/120-4	129413120
14	Washer 17			12961312011
15	Serrated washer J 17			12961312012
16	Screw M16x25			12961312013


Dimension sheet mounted couplings



Mounting sockets DIX BE xx, Mounting plugs DIX SE xx

Mounting sockets:


BEM 25
BEM 25 ROT




①

Mounting plugs:

SEM 25




BE 50/70
BE 50/70 ROT




②

SE 50/70




BE 70/95




③

SE 70/95




BEK 50/70 GELB



④

BEK 70/95 GELB




⑤

Plan view
Pos. 4 and 5




BES 95/120




⑥

SES 95/120



Assembly dimensions:



	Mounting sockets	Mounting plugs	a (in mm)	b (in mm)	c (in mm)
1	DIX BEM 25 (ROT)	DIX SKM 25	6.3	22.7	20.2
2	DIX BE 50/70 (ROT)	DIX SE 50/70	6.3	33.2	30.2
3	DIX BE 70/95	DIX SE 70/95	6.3	33.2	30.2
4	DIX BEK 50/70 GELB	-	6.3	33.2	30.2
5	DIX BEK 70/95 GELB	-	6.3	33.2	30.2
6	DIX BES 95/120	DIX SES 95/120	6.3	38.2	35.2



Welding cable couplings

Electrode bracket DIX A 300

Technical data (IEC 60 974-11):

Electrode bracket	A 300
Welding procedures:	Covered electrode welding
Electrode diameter:	ø 2.0 - 6 mm
Welding current:	
duty cycle	300A
- at 60%	400A
- at 35%	
Cable junction:	25 - 70 mm ² CU
(Nominal cross-section)	
Weight:	425 g





Electrode bracket A 300 (application sample)

Benefits

- No soldering
- No cable lug
- Fast and safe assembly
- Equipped with DINSE terminal connection
- Assembly- and repair-friendly

Application

- For arc welding equipment
- Electrode support for highest loads during on-going welding work



Description	Part name	Part number
A Electrode bracket	DIX A 300	1110013001

Replacements and spare parts

1	Insulation caps, with attachments	DIX A 300-4 SET	1190413001
2	Screw	DIX A 300-5	1190513001
3	Handhold	DIX A 300-6	1190613001
	Clamping sleeve, without fig.	DIX 50/70	199200070

- Recommended nominal cross-sections (mm²) of welding cables from CU dependent on welding current and cable length.

Electrode bracket with cable and DINSE plug

Electrode cable DIX EL.M



Technical data (IEC 60 974-11):	
Electrode cable	DIX EL.M 16-4
Electrode cable	DIX EL.M 25-4
With DINSE plug, Electroden cable and Electrode bracket DIX A300 mounted	
Welding procedures:	Covered electrode welding
Electrode diameter:	ø 2.0 - 6.3 mm
Welding current:	
duty cycle	
- at 60%	140A / 190A
- at 35%	150A / 210A
Cable junction:	16 mm ² CU / 25 mm ² CU
(Nominal cross-section)	



A Electrode cable DIX EL.M 16-4

Benefits	
➤	Immediately usable
➤	Fitting with DINSE plug DIX SKM 25 for DIX EL.M 16-4 DIX SK 25 for DIX EL.M 25-4
➤	Assembly- and repair-friendly



B Electrode cable DIX EL.M 25-4

Application	
➤	For arc welding equipment
➤	Electrode support for highest loads during on-going welding work


	Description	Nominal cross-sections	Part name	Part number
A	Electrode cable For manual power source: DIX GO 1206.M / 1106.M C	16 mm ²	DIX 16-4	7420080000
B	Electrode cable For manual power source: DIX GO 1306.M / 1206.M C	25 mm ²	DIX 25-4	7420080001

- Recommended nominal cross-sections (mm²) of welding cables from CU dependent on welding current and cable length.



Ground cables

DIX BKK / SKK , DIX BKS / BKK , DIX BKK / KS , DIX SKS / KS
DIX GL-x / 70 , DIX GL-x / 95 , DIX GL.M



	Description	Length x cross section	Connection L / R	Part name	Part number
1	Ground cable	9,0 m x 70 mm ²	BKK 70 / SKK 70	DIX BKK / SKK 70-9	629900294
	Ground cable	11,5 m x 70 mm ²	BKK 70 / SKK 70	DIX BKK / SKK 70-11,5	629900295
	Ground cable	15,0 m x 70 mm ²	BKK 70 / SKK 70	DIX BKK / SKK 70-15	629900300
2	Ground cable	15,0 m x 70 mm ²	BKK 70 / BKS 95-54*	DIX BKS / BKK 70-15 / 54	629900341
3	Ground cable	13,0 m x 70 mm ²	BKK 70 / Cable lug M10	DIX BKK / KS 10mm-13	629900342
4	Ground cable	1,5 m x 70 mm ²	SKS 95 / Cable lug M10	DIX SKS / KS 10mm-1,5	629900343
5	Ground cable	1,5 m x 70 mm ²	SK 70 / Cable lug M10	DIX GL-1,5-70	7410087141
	Ground cable	5,0 m x 70 mm ²	SK 70 / Cable lug M10	DIX GL-5/70	7410087005
	Ground cable	10,0 m x 70 mm ²	SK 70 / Cable lug M10	DIX GL-10/70	7410087010
	Ground cable	13,0 m x 70 mm ²	SK 70 / Cable lug M10	DIX GL-13/70	7410087145
	Ground cable	18,0 m x 70 mm ²	SK 70 / Cable lug M10	DIX GL-18/70	7410087140
6	Ground cable	5,0 m x 95 mm ²	SKK 95 / Cable lug M10	DIX GL-5/95	7410089505
	Ground cable	10,0 m x 95 mm ²	SKK 95 / Cable lug M10	DIX GL-10/95	7410089510
	Ground cable	25,0 m x 95 mm ²	SKK 95 / Cable lug M10	DIX GL-25/95	7410089525
7	Ground cable	5,0 m x 95 mm ²	SKK 95 / Ground terminal	DIX GL-5/95/1	7410189505
8	Ground cable	4,0 m x 16 mm ²	SKM 25 / Metal sheet pliers 200A	DIX GL.M 16-4	7420070000
	Ground cable	4,0 m x 25 mm ²	SK 25 / Metal sheet pliers 300A	DIX GL.M 25-4	7420070001
	Ground cable	5,0 m x 35 mm ²	SK 50 / Metal sheet pliers 400A	DIX GL.M 35-5	7420070002
	Ground cable	5,0m x 50 mm ²	SK 50 / Metal sheet pliers 400A	DIX GL.M 50-5	7420070003
	Ground cable	5,0 m x 70 mm ²	SK 70 / Metal sheet pliers 500A	DIX GL.M 70-5	7420070004
	Ground cable	5,0 m x 95 mm ²	SKK 95 / Metal sheet pliers 600A	DIX GL.M 95-5	7420070005

* The socket BKS 95-54 is water proof according class IP 54.

Index

A

A 300 26

B

BE 50/70 19
 BE 50/70 ROT 19
 BE 70/95 19
 BEK 50/70 GELB 19
 BEK 70/95 GELB 19
 BEM 25 19
 BEM 25 ROT 19
 BES 95/120 19
 BK 25 12
 BK 50 12
 BK 70 12
 BKK 70 12
 BKK 95 12
 BKM 25 12
 BKS 95 12
 BKS 120 12

C

Cable joint plugs 17
 Cable joint sockets 17
 Coding plug DIX SEC 18

D

Dimension sheet mounted couplings 25
 Dimension sheet welding cable couplings 16

E

Electrode bracket 26
 A 300 26
 Electrode cable 27
 EL.M 27

G

Ground cables 28

K

KAB 70/95 17
 KAS 70/95 17

M

Mounting plugs 20–21
 Mounting sockets 19–20

R

Reducers 17, 18
 RSS 50/25 17
 RSS 95/120 17
 RSS S50/B25 17

S

SE 50/70 20
 SE 70/95 20
 SEM 25 20
 SES 95/120 20
 SK 25 13
 SK 50 13
 SK 70 13
 SK 70 ROT 13
 SKK 70 13
 SKK 95 13
 SKM 25 13
 SKM 25 ROT 13
 SKS 95 13
 SKS 120 13

W

Welding cable couplings 12–17

Update index

Version no. Change

2021/45 **New products**
Cable coupling SKM 25 ROT, SK 70 ROT; mounting socket BEM 25 ROT, BE 50/70 ROT; Ground cables; Electrode bracket A 300; Electrode bracket with cable EL.M

For notes:




DINSE G.m.b.H.
Niewisch 9 · 22848 Norderstedt · Germany

Tel: +49-(0)40 - 658 75 - 0
Fax: +49-(0)40 - 658 75 - 200

E-Mail: info@dinse.eu
Internet: www.dinse.eu



Your specialized dealer:



2022

